


Product Data Sheet

Ortho-Xylene



Property	Unit	Test Method	Specification Value
Purity	%Wt	UOP 744-86	98.0 min (expected value:99)
Non Aromatics	%Wt	ASTM D 2360-11	0.5 max
Benzene plus C9 and heavier aromatics	%Wt	UOP 744-86	1.0 max
Ortho, Metha & Para Xylene plus Toluene Ethylbenzene	%Wt	UOP 744-86	98.5 min
Distillation rang	°C at 760mm Hg	ASTM D 850-02	2.0 max including 144.4
Total Sulfur	Wt-ppm	ASTM D 4045-04	1.0 max
Color, Pt-Co scale	-	ASTM D 1209-11	20 max (expected value: 10)
Acidity	-	ASTM D 847-08	Nonr detected
Hydrocarbon residue after evaporation	Wt-ppm	ASTM D 1353-13	20 max
Specific Gravity at 15.56°C	-	ASTM D 4052-11	0.88-0.89
SO ₂ /H ₂ S	-	ASTM D 853-04	None detected
Vapor pressur (PSI)	-	ASTM D 323-08	0.3